



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/978,261	10/15/2001	David Y. Zhang	251305.0028 SBP/MCD	4119

7590 12/05/2005
Steven B. Pokotilow, Esq.
Stroock & Stroock & Lavan LLP
180 Maiden Lane
New York, NY 10038

EXAMINER

LU, FRANK WEI MIN

ART UNIT PAPER NUMBER

1634

DATE MAILED: 12/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/978,261	Applicant(s) ZHANG, DAVID Y.	
	Examiner Frank W Lu	Art Unit 1634	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 August 2005.
 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 40-52 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) ☐ Claim(s) _____ is/are allowed.
 6) ☒ Claim(s) 40-52 is/are rejected.
 7) ☐ Claim(s) _____ is/are objected to.
 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
 10) ☒ The drawing(s) filed on 12/6/2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☐ All b) ☐ Some * c) ☐ None of:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
 * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

CONTINUED EXAMINATION UNDER 37 CFR 1.114 AFTER FINAL REJECTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission of RCE filed on August 22, 2005 and the amendment filed on April 27, 2005 have been entered. The claims pending in this application are claims 40-52. Rejection and/or objection not reiterated from the previous office action are hereby withdrawn in view of the amendment filed on April 27, 2005.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 47, 48, 51, and 52 are rejected under 35 U.S.C. 102(b) as being anticipated by Wang *et al.*, (US Patent NO. 5,567,583, published on October 22, 1996).

Wang *et al.*, teach methods for reducing non-specific priming in DNA detection.

Regarding claim 47, since Wang *et al.*, teach a method for detecting a target nucleic acid, which method comprises the steps of: amplifying the target nucleic acid to obtain an amplification product using a polymerase, a first primer with or without a segment

Art Unit: 1634

noncontiguous to a first priming sequence, and a second primer with or without a segment noncontiguous to a second priming sequence in the presence of an oligonucleotide which is incapable of acting as a primer for said polymerase, wherein said oligonucleotide has at least 5 consecutive nucleotides fully complementary to at least 5 consecutive nucleotides of said first primer; and detecting the presence of the target nucleic acid by monitoring the amplification thereof wherein a first fluorophore is covalently attached to said first primer and a second fluorophore is covalently attached to said oligonucleotide, with one of said first and second fluorophores being a donor fluorophore and the other being an acceptor fluorophore, so that when said first primer and said oligonucleotide are hybridized, said donor fluorophore and said acceptor fluorophore are in close proximity to allow resonance energy transfer therebetween; and, further, said detecting step is performed by monitoring fluorescent emission change of said acceptor fluorophore upon irradiation of said donor fluorophore with an excitation light, said change being a function of the extent of said first primer being dissociated from said oligonucleotide and being incorporated into said amplification product of the target nucleic acid (see columns 19 and 20, claims 1 and 3, column 3, second paragraph, and Figure 1), Wang *et al.*, disclose contacting the nucleic acid with an oligonucleotide primer pair comprising a first primer (ie., the first primer taught by Wang *et al.*,) and a second primer (ie., the oligonucleotide taught by Wang *et al.*,) under conditions that allow hybridization between complementary sequences in the target nucleic acid and the oligonucleotide primer pair wherein (i) the first primer of the pair comprises (A) a first sequence that is complementary to the target nucleic acid (ie., the first priming sequence taught by Wang *et al.*,), (B) a second sequence that is complementary to the second primer of the pair (ie., at least 5 consecutive nucleotides of said

Art Unit: 1634

first primer taught by Wang *et al.*), and (C) a signal generating moiety (ie., the first fluorophore taught by Wang *et al.*); (ii) the second primer of the pair (ie., the oligonucleotide taught by Wang *et al.*) comprises (A) a sequence that is complementary to the first primer (ie., at least 5 consecutive nucleotides fully complementary to at least 5 consecutive nucleotides of said first primer taught by Wang *et al.*); and (B) a moiety capable of quenching, masking or inhibiting the activity of the signal generating moiety when located adjacent to, or in close proximity to the signal generating moiety (ie., the second fluorophore taught by Wang *et al.*); and (iii) when the first primer and the second primer are bound to one another, the signal is inhibited (ie., one of said first and second fluorophores being a donor fluorophore and the other being an acceptor fluorophore and causing fluorescence energy transfer); adding a single stranded oligonucleotide primer comprising sequences complementary to the target nucleic acid (ie., the second primer taught by Wang *et al.*); adding a DNA polymerase; and amplifying the target nucleic acid and separating the signal generating moiety (ie., the donor fluorophore taught by Wang *et al.*) and the quenching, masking or inhibitory moiety (ie., an acceptor fluorophore taught by Wang *et al.*); thereby generating a signal, wherein detection of an increase in the signal indicates the presence of the target nucleic acid in the sample as recited in claim 47.

Regarding claim 48, Wang *et al.*, teach that the signal generating moiety (ie., the first fluorophore on the first primer taught by taught by Wang *et al.*) is a fluorescent agent (see columns 19 and 20, claims 1 and 3).

Regarding claims 51 and 52, Wang *et al.*, teach that the target nucleic acid is amplified using polymerase chain reaction (see column 2, lines 32-39).

Therefore, Wang *et al.*, teach all limitations recited in claims 47, 48, 51, and 52.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 40-42, 45, and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zhang *et al.*, (US Patent No. 5,942,391, published on August 24, 1999) in view of Wang *et al.*, (1996).

Zhang *et al.*, teach nucleic acid amplification method: ramification-extension amplification method (RAM).

Regarding claims 40, 41, 45, and 46, since, in a method for detecting a target nucleic acid in a sample, Zhang *et al.*, teach: (a) contacting said nucleic acid in said sample in a reaction vessel under conditions that allow nucleic acid hybridization between complementary sequences in nucleic acids with oligonucleotide probes in the presence of paramagnetic particles coated with a ligand binding moiety, said oligonucleotide probes comprising one or more capture/amplification probes, each having a 3' nucleotide sequence that is neither complementary nor hybridizable to a nucleotide sequence in the target nucleic acid, and a 5' nucleotide sequence that is complementary and hybridizable to a nucleotide sequence in the target nucleic acid, or a 5' nucleotide sequence that is neither complementary nor hybridizable to a nucleotide sequence in the target nucleic acid, and a 3' nucleotide sequence that is complementary and hybridizable to a nucleotide sequence in the target nucleic acid, each capture/amplification probe further having a ligand bound to the non-complementary sequence of the probe, wherein said ligand is capable of

Art Unit: 1634

binding to and forming an affinity pair with said ligand binding moiety coated onto said paramagnetic particles; said oligonucleotide probes further comprising a circularizable amplification probe having 3' and 5' regions that are complementary to adjacent but noncontiguous sequences in the target nucleic acid, said 3' and 5' regions separated by a linker region that is neither complementary nor hybridizable to a nucleotide sequence in the target nucleic acid, such that a complex is formed comprising the target nucleic acid, circularizable probe, capture/amplification probes and paramagnetic particles, wherein the capture/amplification probes are hybridized to the complementary nucleotide sequences in the target nucleic acid and are bound to the paramagnetic particles through the binding of the ligand on the capture/amplification probe to the ligand binding moiety on the paramagnetic particles, and the circularizable probe is bound on its 3' and 5' ends to adjacent but noncontiguous sequences in the target nucleic acid; and (c) ligating the 3' and 5' ends of said circularizable probe with a ligating agent that joins nucleotide sequences such that a circular amplification probe is formed (see claim 1 in columns 67-69 and Figure 1), Zhang *et al.*, disclose that the circular oligonucleotide probe is formed by ligating the 3' and 5' ends of a linear oligonucleotide probe (ie., an oligonucleotide probe taught by Zhang *et al.*,) comprising 3' and 5' regions complementary to adjacent sequences in the target nucleic acid under conditions that allow hybridization between complementary sequences in the target nucleic acid and the linear oligonucleotide probe as recited in claim 41. Since, since Zhang *et al.*, teach that, after the circular oligonucleotide probe is formed, the circular oligonucleotide probe contacts with the target nucleic acid, Zhang *et al.*, disclose contacting the nucleic acid with a circular oligonucleotide probe under conditions that allow hybridization between complementary

Art Unit: 1634

sequences in the target nucleic acid and the circular oligonucleotide probe as recited in (a) of claim 40. Since, in a method for detecting a target nucleic acid in a sample, Zhang *et al.*, further teach: (d) amplifying said circular amplification probe by contacting said complex with a first extension primer that is complementary and hybridizable to a portion of the linker region of the circular amplification probe and a second extension primer that is substantially identical to a portion of the linker region of the circular amplification probe that does not overlap with the portion of the linker region to which the first extension primer is complementary, dNTPs, and a DNA polymerase having strand displacement activity, under conditions whereby the first extension primer is extended around the circle for multiple revolutions to form a single stranded DNA of repeating units complementary to the sequence of the circular probe, and multiple copies of the second extension primer hybridize to complementary regions of the single stranded DNA and are extended by the DNA polymerase to provide extension products, and whereby the extension products of the second extension primers displace downstream copies of the second extension primers and corresponding extension products of said downstream copies to provide displaced single strands to which multiple copies of said first extension primer bind and are extended by the DNA polymerase; (e) allowing said amplification to proceed until multiple copies of double stranded amplified DNA of varying lengths are produced; and (f) detecting said amplified DNA, wherein detection thereof indicates the presence of the target nucleic acid in the clinical sample, Zhang *et al.*, disclose adding a first primer wherein the first primer comprises (A) a first sequence that is complementary to the circular probe as recited in b) of claim 40, adding a DNA polymerase as recited in c) of claim 40, and detection indicates the presence of the target nucleic acid in the sample as recited in d) of claim 40, the circular probe is amplified

Art Unit: 1634

using an amplification method selected from the group consisting of polymerase chain reaction, strand displacement amplification, transcription mediated amplification, RAM and primer extension wherein the amplification method is RAM as recited in claims 45 and 46.

Zhang *et al.*, do not disclose adding a primer pair comprising a first primer and a second primer wherein (i) the first primer of the pair comprises (A) a first sequence that is complementary to the circular probe, (B) a second sequence that is complementary to the second primer of the pair, and (C) a signal generating moiety; (ii) the second primer of the pair comprises (A) a sequence that is complementary to the first primer and (B) a moiety capable of quenching, masking or inhibiting the activity of the signal generating moiety when located adjacent to, or in close proximity to the signal generating moiety; and (iii) when the first primer and the second primer are bound to one another, the signal is inhibited as recited in (b) of claim 40, and detecting an increase in the signal which is generated by separating the signal generating moiety and the quenching, masking or inhibitory moiety as recited in (d) of claim 40, and disclose that the signal generating moiety is a fluorescent agent as recited in claim 42.

The teachings of Wang *et al.*, have been summarized previously, *supra*. Wang *et al.*, teach adding a primer pair comprising a first primer and a second primer wherein (i) the first primer of the pair comprises (A) a first sequence that is complementary to the circular probe, (B) a second sequence that is complementary to the second primer of the pair, and (C) a signal generating moiety; (ii) the second primer (ie., the oligonucleotide which is incapable of acting as a primer for said polymerase of the pair taught by Wang *et al.*,) comprises (A) a sequence that is complementary to the first primer and (B) a moiety capable of quenching, masking or inhibiting the activity of the signal generating moiety when located adjacent to, or in close proximity to the

Art Unit: 1634

signal generating moiety; and (iii) when the first primer and the second primer are bound to one another, the signal is inhibited as recited in (b) of claim 40 and detecting an increase in the signal which is generated by separating the signal generating moiety and the quenching, masking or inhibitory moiety as recited in (d) of claim 40 and also teach that the signal generating moiety is a fluorescent agent as recited in claim 42 (see column 3, second paragraph, columns 19 and 20, claims 1 and 3, and Figure 1).

Therefore, it would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to have performed the method recited in claim 40 wherein (i) the first primer of the pair comprises (A) a first sequence that is complementary to the circular probe, (B) a second sequence that is complementary to the second primer of the pair, and (C) a signal generating moiety; (ii) the second primer comprises (A) a sequence that is complementary to the first primer and (B) a moiety capable of quenching, masking or inhibiting the activity of the signal generating moiety when located adjacent to, or in close proximity to the signal generating moiety; and (iii) when the first primer and the second primer are bound to one another, the signal is inhibited, and wherein an increase in the signal which is generated by separating the signal generating moiety and the quenching, masking or inhibitory moiety is detected in view of the patents of Zhang *et al.*, and Wang *et al.*. One having ordinary skill in the art would have been motivated to do so because Wang *et al.*, have successfully detected the target nucleic acid in the sample by detecting an increase in the signal which is generated by separating the signal generating moiety and the quenching, masking or inhibitory moiety, and the simple replacement of one well known detection method (i.e., the method taught by Zhang *et al.*) from another well known detection method (i.e., the method taught by Wang *et al.*) during

Art Unit: 1634

the process of detecting the target nucleic acid would have been, in the absence of convincing evidence to the contrary, *prima facie* obvious to one having ordinary skill in the art at the time the invention was made because the detection method taught by Wang *et al.*, would eliminate or reduce nonspecific priming events (see column 7, second paragraph).

Furthermore, the motivation to make the substitution cited above arises from the expectation that the prior art elements will perform their expected functions to achieve their expected results when combined for their common known purpose. Support for making the obviousness rejection comes from the M.P.E.P. at 2144.06.

6. Claim 43 is rejected under 35 U.S.C. 103(a) as being unpatentable over Zhang *et al.*, (1999) in view of Wang *et al.*, (1996) as applied to claims 40-42, 45, and 46 above, and further in view of Heller (US Patent No. 5,532, 129, published on July 2, 1996).

The teachings of Zhang *et al.*, and Wang *et al.*, have been summarized previously, *supra*.

Zhang *et al.*, and Wang *et al.*, do not disclose that the signal generating moiety (ie., donor) is a chemiluminescent agent as recited in claim 43.

Heller teaches that either a fluorophore or a chemiluminescent group is used as a donor for non-radiative energy transfer (see column 3, second paragraph).

Therefore, it would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to have performed the method recited in claim 43 wherein the signal generating moiety is a chemiluminescent agent in view of the patents of Zhang *et al.*, Wang *et al.*, and Heller. One having ordinary skill in the art would have been motivated to do so because Heller has successfully used a fluorophore or a chemiluminescent group as a donor for

Art Unit: 1634

non-radiative energy transfer, and the simple replacement of one kind of signal generating moiety (i.e., a fluorescent donor taught by Wang *et al.*,) from another kind of signal generating moiety (i.e., chemiluminescent donor taught Heller) during the process of performing the method recited in claim 43 would have been, in the absence of convincing evidence to the contrary, *prima facie* obvious to one having ordinary skill in the art at the time the invention was made because either a fluorophore or a chemiluminescent group is used as a donor for energy transfer and they are exchangeable (see Heller, column 3, second paragraph).

Furthermore, the motivation to make the substitution cited above arises from the expectation that the prior art elements will perform their expected functions to achieve their expected results when combined for their common known purpose. Support for making the obviousness rejection comes from the M.P.E.P. at 2144.06, 2144.07 and 2144.09.

Also note that there is no invention involved in combining old elements in such a manner that these elements perform in combination the same function as set forth in the prior art without giving unobvious or unexpected results. *In re Rose* 220 F.2d. 459, 105 USPQ 237 (CCPA 1955).

7. Claim 44 is rejected under 35 U.S.C. 103(a) as being unpatentable over Zhang *et al.*, (1999) in view of Wang *et al.*, (1996) and Heller (1996) as applied to claims 40-43, 45, and 46 above, and further in view of Segev (US Patent No. 5, 437, 977, published on August 1, 1995).

The teachings of Zhang *et al.*, Wang *et al.*, and Heller have been summarized previously, *supra*.

Zhang *et al.*, Wang *et al.*, and Heller do not disclose that the signal generating moiety is an enzyme or enzyme substrate as recited in claim 44.

Art Unit: 1634

Segev teaches that non-radiative energy transfer is finished by a suitable chemiluminescent catalyst such as peroxidase and luciferase and a suitable absorber/emitter (see column 7, last paragraph and column 8, first paragraph).

Therefore, it would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to have performed the method recited in claim 44 wherein the signal generating moiety is an enzyme in view of the patents of Zhang *et al.*, Wang *et al.*, Heller and Segev. One having ordinary skill in the art would have been motivated to do so because Segev has successfully used a suitable chemiluminescent catalyst such as peroxidase or luciferase and a suitable absorber/emitter for non-radiative energy transfer, and the simple replacement of one kind of chemiluminescent agent related non-radiative energy transfer method (i.e., the method taught by Heller) from another kind of chemiluminescent agent related non-radiative energy transfer method (i.e., the method taught by Segev) during the process of performing the method recited in claim 44 would have been, in the absence of convincing evidence to the contrary, *prima facie* obvious to one having ordinary skill in the art at the time the invention was made because the method taught by Heller and the method taught by Segev are functional equivalent methods which are used for the same purpose.

Furthermore, the motivation to make the substitution cited above arises from the expectation that the prior art elements will perform their expected functions to achieve their expected results when combined for their common known purpose. Support for making the obviousness rejection comes from the M.P.E.P. at 2144.06.

8. Claim 49 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wang *et al.*, (1996) as applied to claims 47, 48, 51, and 52 above, and further in view of Heller (1996).

The teachings of Wang *et al.*, have been summarized previously, *supra*.

Wang *et al.*, do not disclose that the signal generating moiety (ie., donor) is a chemiluminescent agent as recited in claim 49.

Heller teaches that either a fluorophore or a chemiluminescent group is used as a donor for non-radiative energy transfer (see column 3, second paragraph).

Therefore, it would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to have performed the method recited in claim 43 wherein the signal generating moiety is a chemiluminescent agent in view of the patents of Wang *et al.*, and Heller. One having ordinary skill in the art would have been motivated to do so because Heller has successfully used a fluorophore or a chemiluminescent group as a donor for non-radiative energy transfer, and the simple replacement of one kind of signal generating moiety (i.e., a fluorescent donor taught by Wang *et al.*,) from another kind of signal generating moiety (i.e., chemiluminescent a taught Heller) during the process of performing the method recited in claim 43 would have been, in the absence of convincing evidence to the contrary, *prima facie* obvious to one having ordinary skill in the art at the time the invention was made because either a fluorophore or a chemiluminescent group is used as a donor for energy transfer and they are exchangeable (see Heller, column 3, second paragraph).

Furthermore, the motivation to make the substitution cited above arises from the expectation that the prior art elements will perform their expected functions to achieve their

Art Unit: 1634

expected results when combined for their common known purpose. Support for making the obviousness rejection comes from the M.P.E.P. at 2144.07 and 2144.09.

Also note that there is no invention involved in combining old elements in such a manner that these elements perform in combination the same function as set forth in the prior art without giving unobvious or unexpected results. *In re Rose* 220 F.2d. 459, 105 USPQ 237 (CCPA 1955).

9. Claim 50 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wang *et al.*, (1996) and Heller (1996) as applied to claims 47, 48, 51, and 52 above, and further in view of Segev (1995).

The teachings of Wang *et al.*, and Heller have been summarized previously, *supra*.

Wang *et al.*, and Heller do not disclose that the signal generating moiety is a an enzyme or enzyme substrate as recited in claim 50.

Segev teaches that non-radiative energy transfer is finished by a suitable chemiluminescent catalyst such as peroxidase and luciferase and a suitable absorber/emitter (see column 7, last paragraph and column 8, first paragraph).

Therefore, it would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to have performed the method recited in claim 44 wherein the signal generating moiety is an enzyme in view of the patents of Wang *et al.*, Heller and Segev. One having ordinary skill in the art would have been motivated to do so because Segev has successfully used a suitable chemiluminescent catalyst such as peroxidase or luciferase and a suitable absorber/emitter for non-radiative energy transfer, and the simple replacement of one kind of chemiluminescent agent related non-radiative energy transfer method (i.e., the method

Art Unit: 1634

taught by Heller) from another kind of chemiluminescent agent related non-radiative energy transfer method (i.e., the method taught by Segev) during the process of performing the method recited in claim 44 would have been, in the absence of convincing evidence to the contrary, *prima facie* obvious to one having ordinary skill in the art at the time the invention was made because the method taught by Heller and the method taught by Segev are functional equivalent methods which are used for the same purpose.

Furthermore, the motivation to make the substitution cited above arises from the expectation that the prior art elements will perform their expected functions to achieve their expected results when combined for their common known purpose. Support for making the obviousness rejection comes from the M.P.E.P. at 2144.06.

Conclusion

10. No claim is allowed.

11. Papers related to this application may be submitted to Group 1600 by facsimile transmission. Papers should be faxed to Group 1600 via the PTO Fax Center. The faxing of such papers must conform with the notices published in the Official Gazette, 1096 OG 30 (November 15, 1988), 1156 OG 61 (November 16, 1993), and 1157 OG 94 (December 28, 1993)(See 37 CAR § 1.6(d)). The CM Fax Center number is (571)273-8300.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank Lu, Ph.D., whose telephone number is (571)272-0746. The examiner can normally be reached on Monday-Friday from 9 A.M. to 5 P.M.

Art Unit: 1634

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, W. Gary Jones, can be reached on (571)272-0745.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

A handwritten signature in cursive script, appearing to read 'Frank Lu', is positioned above the typed name.

Frank Lu
Primary Examiner
November 25, 2005